

ML CMP



BY-PASS



BY-PASS



THERMOSTATIC VALVE

DELAYED TOTAL STOP



DELAYED TOTAL STOP



MICRO LEAKAGE CONTROL



DRY RUNNING PROTECTION



LANCE NOZZLE CLOGGED CONTROL



WORKING HOURS COUNTER



INTELLIGENT PROPORTIONAL SWITCH OFF



FLOODING PREVENTION SYSTEM



IPC

HIGH PRESSURE WASHERS - COLD STATIONARY

Models	BY-PASS MODELS				TOTAL STOP MODELS				
	ML CMP 1310P M	ML CMP 1813P T	ML CMP 1915P T	ML CMP 2017P T	ML CMP D1310P M	ML CMP D1813P T	ML CMP D1915P T	ML CMP D2017P T	
Code	IDAF40360	IDAF40361	IDAF40362	IDAF40363	IDAF40486	IDAF40535	IDAF40536	IDAF40537	
TECHNICAL DATA									
Operating pressure	bar/Mpa	30-130/3-13	30-180/3-18	30-190/3-19	30-200/3-20	30-130/3-13	30-180/3-18	30-190/3-19	30-200/3-20
Volume	l/h	600	800	900	1000	600	800	900	1000
Inlet water temperature	°C	50	50	50	50	50	50	50	50
ELECTRICAL FEATURES									
Power supply	Ph-V-Hz/A	1-230-50/15	3-400-50/8,5	3-400-50/9,5	3-400-50/12	1-230-50/15	3-400-50/8,5	3-400-50/9,5	3-400-50/12
Absorbed power	kW	3	5,1	5,1	7,5	3	5,1	6,5	7,5
Motor pole	RPM	4/1400	2 - 2800	4/1400	4/1400	4/1400	2 - 2800	4/1400	4/1400
Remote control		BYP	BYP	BYP	BYP	DTS	DTS	DTS	DTS
HYDRAULIC FEATURES									
Pump/head/pistons		IPC plunger/ brass/ceramic	IPC plunger/ brass/ceramic	IPC plunger/ brass/ceramic	IPC plunger/ brass/ceramic	IPC plunger/ brass/ceramic	IPC plunger/ brass/ceramic	IPC plunger/ brass/ceramic	IPC plunger/ brass/ceramic
Motor pump coupling		direct	direct	direct	direct with maintenance lubrification bushing	direct	direct	direct	direct with maintenance lubrification bushing
Unloader valve		bolt on brass	bolt on brass	bolt on brass	bolt on brass	bolt on brass	bolt on brass	bolt on brass	bolt on brass
DIMENSIONS AND WEIGHT									
Weight	Kg	46	50	55	67	46	50	55	67
Dimensions (LxWxH)	cm	68x48x32	68x48x32	68x48x32	60x50x35	68x48x32	68x48x32	68x48x32	60x50x35
Frame		painted metal plate	painted metal plate	painted metal plate	painted metal plate	painted metal plate	painted metal plate	painted metal plate	painted metal plate
PACKAGING									
Type		PALLET + CARTON	PALLET + CARTON	PALLET + CARTON	PALLET + CARTON	PALLET + CARTON	PALLET + CARTON	PALLET + CARTON	PALLET + CARTON
Dimensions LxWxH	cm	74x41x73	74x41x73	74x41x73	74x41x73	74x41x73	74x41x73	74x41x73	74x41x73
Volume	m³	0,22	0,22	0,22	0,22	0,22	0,22	0,22	0,22
Weight	Kg	55,4	55,4	61,6	73,6	55,4	55,4	61,6	73,6

ACCESSORIES AND CONSUMABLE

STANDARD EQUIPMENT	Code	Description	Models
	UGLN49990	HIGH PRESSURE NOZZLE	1310P M - D1310P M
	UGLN49991	HIGH PRESSURE NOZZLE	1813P T - D1813P T
	UGLN49987	HIGH PRESSURE NOZZLE	1915P T - 2017P T D1915P T - D2017P T
	IPIP40006	HANDGRIP G 5100+AT.RAP.AR3-K + SW	
	LCLC40004	LANCE INOX CLIK-IN 70 CM	
	TBAP25324	HIGH PRESSURE HOSE (10M)	
OPTIONAL ACCESSORIES	Code	Description	Models
	AVTB39119	HOSE REEL ORIENT. D.420 INOX 200 BAR AC	
	KTRI37674	KIT P 35- 15 HOSE REEL PRT MURALE	
	RCIN10810	HOSE COUPLINGS M22	
	KTRI28914	KIT P 35- 12 ROTATING ARM KS610 180*	
	LCPR40039	FOAM HEAD FL803 - SERB.1LT +I.RP.AR3-K	

Warranty

Refer to your local representative for warranty information.

For a demonstration or additional information,
call +39 0421 205511 or email info@ipcleaning.com

IP Cleaning S.p.A.

Viale Treviso 63
30026 Summaga di Portogruaro - (VE) / ITALY
Tel. +39 0421 205511 - Fax +39 0421 204227
info@ipcleaning.com - www.ipcleaning.com
Rights to technical modifications reserved without prior notes.